

# FutureCom™ High-Density Patch Panel 19"


black

CORNING


The FutureCom S500 HD patch panel offers the highest port concentration and bandwidth over high performance structured cabling to all network areas, whether in the Datacentre or in the high performance LAN. The FutureCom S500 copper connectivity system provides the highest margins for transmission of digital data signals for future applications of systems up to 10GbE according to the Class EA (ISO/IEC 11801 Ed.2.2 Amd 2: 2009), Cat.6A (ANSI/TIA/EIA 568B.2-10), EN 50173 and IEC 60603-7-5 Ed. 1.0. The S500 connectivity system is also fully compatible with Power over Ethernet (PoE) applications in compliance with IEEE 802.3af (2003) and the new PoE Plus applications.

## Features

- Easy mounting system for 19" rack-installation
- Optimized for easy and fast Plug&Play or field installation
- Recyclable, high-grade steel, stainless
- Two standardised grounding latches
- Integrated cable strain relief for optimal strain relief of each cable
- IDC connection (IDC = Insulation Displacement Contacts)
- Category 6<sub>A</sub>



Part Number: CAXASV-04808-C001



Part Number: CAXASV-04808-C001

# FutureCom™ High-Density Patch Panel 19"

black

CORNING

## Specifications

### General Specifications

Application	10GBase-T
Halogen-free	Yes

### Temperature Range

Operation	-20 °C to 70 °C
-----------	-----------------

### Design - Hardware

Number of ports	48
Colour	black
Height unit	1U

### Mechanical Characteristics

Cut Out	Special
Dimensions (L x W x H)	483 mm x 44 mm x 162 mm

### Chemical Characteristics

Flame Retardance	Class UL94 V-0
RoHS	Free of hazardous substances according to RoHS 2002/95/EG
Environmental Compatibility	Recyclable and free of heavy metal

## Ordering Information

Part Number	CAXASV-04808-C001
Product Description	FutureCom™ S500 HD Patch Panel 19", 1U, empty, 48 P, black
EAN Code	4042673538448
Weight	1.6 kg

## Shipping Information

Units per delivery	1/1
--------------------	-----

# FutureCom™ High-Density Patch Panel 19“

black

CORNING

## Notes



**Corning Optical Communications GmbH & Co. KG · Leipziger Strasse 121 · 10117 Berlin, GERMANY**  
**00 800 2676 4641 · FAX: +49 30 5303 2335 · [www.corning.com/opcomm/emea](http://www.corning.com/opcomm/emea)**

A complete listing of the trademarks of Corning Optical Communications is available at [www.corning.com/opcomm/emea/trademarks](http://www.corning.com/opcomm/emea/trademarks). Corning Optical Communications is ISO 9001 and ISO 14001 certified. © 2016 Corning Optical Communications. All rights reserved.