

Flush mount VOL Patch Panel 1U, 19" Black

CORNING

Part Number:
UU001622966

The VOL patch panel is universally applicable for all 19" racks. This allows the free user-specific configuration of building and floor distributors. This patch panel is delivered unloaded. But it's compatible with all VOL modules from Cat 5e to Cat 6A UTP or STP. A full protection against conducted and radiated interference is provided by the individual shield of STP 360° braid on the STP module version. This feature additionally prevents interference between modules on the same panel. The panel has a ground points lashes at the rear of the panel. Modules automatically provides earth connection upon insertion into patch panel.


Features and Benefits

Universally applicable for all 19" rack

Integrated cable strain relief

Port numbering above and below ports

Space above ports can be used for customised labelling



Flush mount VOL Patch panel, 1U, 19" Black

Flush mount VOL Patch Panel 1U, 19" Black

CORNING

Specifications

Environmental Conditions

| | |
|-----------------------------|------------|
| Environmental Compatibility | Recyclable |
|-----------------------------|------------|

Design

| | |
|------------------|------------------|
| Housing Material | High-grade steel |
| Height Unit | 1 U |
| Housing Color | Black |
| Number of Ports | 32 |

Mechanical Specifications

| | |
|------------------|------------------|
| Cut Out | VOL |
| Housing Material | High-grade steel |

General Specifications

| | |
|--------------------|-------------------------|
| Environment | Indoor |
| Legacy Part Number | PPHDBF32K |
| Product Category | Core Product / Fastship |
| Halogen-free | Yes |

Dimensions

| | |
|--------|--------|
| Height | 118 mm |
| Width | 44 mm |
| Depth | 483 mm |

Flush mount VOL Patch Panel 1U, 19" Black

CORNING

Ordering Information

| | |
|--------------------|-------------|
| Product Number | UU001622966 |
| Units per Delivery | 1/1 |

Standards

| | |
|------|---|
| RoHS | Free of hazardous substances according to RoHS 2011/65/EU |
|------|---|



Corning Optical Communications GmbH & Co. KG • Leipziger Strasse 121 • 10117 Berlin, Germany
+00 800 2675 4641 • FAX: +49 30 5303 2335 • www.corning.com/opcomm/emea

A complete listing of the trademarks of Corning Optical Communications is available at www.corning.com/opcomm/emea/trademarks. Corning Optical Communications is ISO 9001 and ISO 14001 certified. © 2022 Corning Optical Communications. All rights reserved.