

# FutureCom™ Cat. 3 / ISDN Patch Panel 19", 1U, 50 Ports FutureCom™ Cat. 3 / ISDN Patch Panel 19", 1U, 50 Ports

CORNING

**Part Number:**  
**CAXCSV-05000-C001**

The FutureCom™ Cat.3 / ISDN telephone patch panel offers a simple and economical way to connect the telephone system or the telephone backbone with the structured wiring. The telephone connection can be made by one or two pairs (analogue and ISDN technology)

## Features and Benefits

19" patch panel, 1U with 50 unshielded 8-pin RJ45 jacks

Wire connection via 4-pin LSA/110 connect dual cutting clamps for AWG 22-26

**Wiring according to ISO/IEC 11801 Ed.2.2/EN 50173-1,**  
configuration: Pin 3/6 and Pin 4/5

Grounding via M6 screw with nut and lock washer in the patch panel

Shield connection directly on the circuit board

Integrated cable strain relief



# FutureCom™ Cat. 3 / ISDN Patch Panel 19", 1U, 50 Ports



## Specifications

| Environmental Conditions        |                 |
|---------------------------------|-----------------|
| Environmental Compatibility     | Recyclable      |
| Temperature Range, Installation | -40 °C to 70 °C |
| Temperature Range, Operation    | -10 °C to 60 °C |

| Design           |                  |
|------------------|------------------|
| Housing Material | High-grade steel |
| Height Unit      | 1 U              |
| Color            | High-grade steel |
| Number of Ports  | 50               |

| Mechanical Specifications |                  |
|---------------------------|------------------|
| Housing Material          | High-grade steel |

| General Specifications |   |
|------------------------|---|
| Category               | 3 |

| Dimensions |        |
|------------|--------|
| Height     | 120 mm |
| Width      | 44 mm  |
| Depth      | 483 mm |

| Ordering Information |                   |
|----------------------|-------------------|
| Product Number       | CAXCSV-05000-C001 |
| EAN Code             | 4042673102380     |

# FutureCom™ Cat. 3 / ISDN Patch Panel 19", 1U, 50 Ports FutureCom™ Cat. 3 / ISDN Patch Panel 19", 1U, 50 Ports



## Ordering Information

Units per Delivery

1/1

## Standards

RoHS

Free of hazardous substances according to RoHS 2011/65/EU



Corning Optical Communications GmbH & Co. KG • Lelpziger Strasse 121 • 10117 Berlin, Germany  
+00 800 2675 4641 • FAX: +49 30 5303 2335 • [www.corning.com/opcomm/emea](http://www.corning.com/opcomm/emea)

A complete listing of the trademarks of Corning Optical Communications is available at [www.corning.com/opcomm/emea/trademarks](http://www.corning.com/opcomm/emea/trademarks). Corning Optical Communications is ISO 9001 and ISO 14001 certified. © 2021 Corning Optical Communications. All rights reserved.