## **Pretium EDGE® Housing**

2 rack units, holds 24 Pretium EDGE® Modules or Panels



Pretium EDGE® HD Solutions are high-density preterminated optical cabling solutions offering industry leading connector density. With unprecedented finger access, there is no need for additional tools enabling faster moves, adds and changes.

### Features and Benefits

#### Universal wired components

Enable moves, adds and changes without polarity concerns; provide a simple migration path between 2-fibre and parallel optic applications

### Revolutionary drawer-style hardware

Offers unprecedented finger access while achieving the highest port density in the market





# **Pretium EDGE® Housing**

2 rack units, holds 24 Pretium EDGE® Modules or Panels



## **Specifications**

| General Specifications |                     |
|------------------------|---------------------|
| Application            | Data Centre LAN/SAN |
| Product Type           | Housings            |

| Design - Hardware            |                  |
|------------------------------|------------------|
| Housing Type                 | Pretium EDGE® HD |
| Height Unit                  | 2U               |
| Fibre density per unit       | 288              |
| Number of Panels per Housing | 24               |
| Panel or Module Type         | Pretium EDGE®    |

| Mechanical Characteristics |  |
|----------------------------|--|
| Dimensions (W x D x H)     | 432 mm x 625 mm x 89 mm (17 in x 24.6 in x 3.5 in) |
| Minimum Cabinet Size       | 800 mm   |

| Chemical characteristics |  |
|--------------------------|--|
| RoHS                     | Free of hazardous substances according to RoHS 2002/95/ EG |

## **Ordering Information**

| Part Number         | EDGE-02U   |
|---------------------|--|
| Product Description | Pretium EDGE® Solutions Housing, 2 rack units, holds 24 Pretium EDGE Modules or Panels |
| Trunk Capacity      | 12 (size 1 or 2) 24 (size 1 double stack)  |
| Module Capacity     | 24   |



## **Pretium EDGE® Housing**

2 rack units, holds 24 Pretium EDGE® Modules or Panels



### **Shipping Information**

| Units per Delivery               | 1/1   |
|----------------------------------|---|
| Packaging Dimensions (W x D x H) | 567 mm x 696 mm x 214 mm (22.3 in x 27.4 in x 8.4 in) |
| Shipping Weight                  | 12.25 kg (27 lb)                                      |



Corning Cable Systems GmbH & Co. KG · Leipziger Strasse 121 · 10117 Berlin, Germany 00800 2676 4641 · FAX: +49 30 5303 2335 · www.corning.com/cablesystems/emea

A complete listing of the trademarks of Corning Cable Systems is available at www.corning.com/cablesystems/emea/trademarks. Corning Cable Systems is ISO 9001 certified. © 2013 Corning Cable Systems. All rights reserved.

