

Everon® Copper Datacom Terminal Outlet VOL and Keystone Wall Surface mounting box for 2 modules RJ45, 78x70, white

CORNING

Part Number:
UAXCSE-U0201-C001

Features and Benefits

Both footprints VOL and Keystone are supported

Easy mounting of modules


Easy assembling and removing adapter to the frame

Area dedicated to label port identifier

No special tools required for installation

Standard white color for all terminal solution

Angled adaptor reduce the tensile on the patchcord and the cable



Everon® Copper Datacom Terminal Outlet VOL and Keystone Wall Surface mounting box for 2 modules RJ45, 78x70, white

CORNING

Specifications

General Specifications

Halogen-free	Yes
--------------	-----

Standards

RoHS	Free of hazardous substances according to RoHS 2011/65/EU
------	---

Environmental Conditions

Environmental compatibility	Recyclable
Halogen-free	Yes
Temperature range, installation	0 °C to 50 °C
Temperature range, operation	-20 °C to 60 °C

Design

Colour	White
Number of ports	2
Footprint	Keystone and VOL

Dimensions

Height	70 mm
Width	78 mm
Depth	39.5 mm

Ordering Information

Product Number	UAXCSE-U0201-C001
Units per delivery	1/1

Everon® Copper Datacom Terminal Outlet VOL and Keystone Wall Surface mounting box for 2 modules RJ45, 78x70, white

The Corning logo consists of a solid blue square with the word "CORNING" in white, uppercase, sans-serif font centered within it.

CORNING



Corning Optical Communications GmbH & Co. KG • Leipziger Strasse 121 • 10117 Berlin, Germany
00 800 2676 4641 • FAX: • www.corning.com/opcomm/emea

A complete listing of the trademarks of Corning Optical Communications is available at www.corning.com/opcomm/emea/trademarks. Corning Optical Communications is ISO 9001 and ISO 14001 certified. © 2026 Corning Optical Communications. All rights reserved.