

Buffer Tube Fan-Out Kits, Indoor 12 F, 47-in legs

CORNING

Part Number:
FAN-BT47-12

Corning indoor buffer tube fan-out kits are specifically designed for the termination of 6- and 12-fiber buffer tubes. These buffer tube fan-out kits provide the ultimate solution for those users who want to field-install connectors on 250 μm coated fibers. The kits provide the most compact, easy-to-install fan-out solution requiring no additional hardware or space than that required for terminating tight-buffered cables. Indoor kits feature a 900 μm fan-out assembly that is color coded to match the fiber color scheme. The fan-out assembly is available with 6- or 12-fiber units in lengths of 0.6 m (25 in) or 1.2 m (47 in). These different lengths provide the installer the flexibility needed for a variety of hardware options.

Features and Benefits

Snap-together furcation


Eliminates epoxy for indoor kits

Fiber routing capabilities

Better fiber management

Compensation for wide temperature fluctuation

Outdoor use



Buffer Tube Fan-Out Kit, indoor, 12 F, 47-in legs

Buffer Tube Fan-Out Kits, Indoor 12 F, 47-in legs

CORNING

Specifications

General Specifications

Environment	Indoor
Product Type	Fan-out Kits
Fanout Type	Buffer Tube

Standards

RoHS	Free of hazardous substances according to RoHS 2011/65/EU
------	---

Environmental Conditions

Temperature Range, Operation	0 °C to 70 °C
------------------------------	---------------

Design

Fan-Out Tubing Color	Blue, Orange, Green, Brown, Slate, White, Red, Black, Yellow, Violet, Rose, Aqua
Fiber Count	12
Fibers per Buffer Tube	12

Mechanical Specifications - Fan-Out Kit

Furcation Length	44.5 mm
Tubing Length	1193.8 mm
Tubing Outer Diameter	0.9 mm

Ordering Information

Product Number	FAN-BT47-12
EAN Code	4056418201894
Package Contents	"Fan-out top, fan-out bottom, insert with fan-out tubing"

Buffer Tube Fan-Out Kits, Indoor 12 F, 47-in legs



Ordering Information

Units per Delivery

1/1



Corning Optical Communications GmbH & Co. KG • Leipziger Strasse 121 • 10117 Berlin, Germany
+00 800 2675 4641 • FAX: +49 30 5303 2335 • www.corning.com/opcomm/emea

A complete listing of the trademarks of Corning Optical Communications is available at www.corning.com/opcomm/emea/trademarks. Corning Optical Communications is ISO 9001 and ISO 14001 certified. © 2024 Corning Optical Communications. All rights reserved.